

CANDIDATE

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

mmn. Xiremedabers.com

*	
4	
•	
W	
S	
0	
_	
∞	
œ	
W	
_	
_	
5	
W	
S	
∞	
ū	
91	

INAIVIL								
CENTRE NUMBER				CANDIDATE NUMBER				
CHEMISTRY							062	20/21
Paper 2				0	ctober	Nove	mber	2010
					11	nour 1	5 mir	utes

READ THESE INSTRUCTIONS FIRST

No Additional Materials are required.

Candidates answer on the Question Paper.

Write your Centre number, candidate number and name in the spaces at the top of this page. Write in dark blue or black pen.

You may need to use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use				
1				
2				
3				
4				
5				
6				
7				
8				
Total				

This document consists of 17 printed pages and 3 blank pages.




1	The diagram	below	shows the	elements in	a period	of the	Periodic	Table.
	i i i o diagram	~ 0.011	001.0	01011101110 111	a pooa	00		

Li	Ве	В	С	N	O	F	Ne
----	----	---	---	---	---	---	----

					I	
(a)	To v	which period	of the Periodic	Table do these elei	ments belong	ŋ?
						[1]
(b)			•	only the elements s e, more than once		diagram.
	Wri	te down the s	symbol for the e	element which		
	(i)	has six elec	trons in its oute	r shell.		
	(ii)	is a halogen				
	(iii)	is a metal w	hich reacts rap	dly with cold water	-	
	(iv)	has two form	ns, graphite and	d diamond.		
	(v)	is in Group	I of the Periodi	c Table.		
	(vi)	makes up a	oout 80% of the	e air.		[6]
(c)		mplete the fol	lowing sentenc	e using words from	the list belo	
	The	·	of the	elements in the Po	eriodic Table	are arranged in order of
	incr	easing numb	er of			[2]
						[Total: 9]

[1]

2 Calcium carbonate was heated strongly in a test-tube. The gas given off was bubbled through limewater.



(a) What type of chemical reaction occurs when calcium carbonate is heated strongly?Put a ring around the correct answer.

hydration

neutralisation

oxidation

thermal decomposition

(b) (i) State the name of the gas given off when calcium carbonate is heated strongly.

[1]
(ii) State the colour change of the limewater.

[1]
(c) The product remaining in the test-tube is calcium oxide.

(i) Calcium oxide is used in steelmaking.

Describe how and why calcium oxide is used in making steel.

[2]
(ii) Steel is an alloy. What do you understand by the term alloy?

(iii)	Give one other use of calcium oxide.	
	[1]	
(iv)	Complete the symbol equation for the reaction of calcium oxide with hydrochloric acid.	
	CaO +HC $l \rightarrow CaCl_2 +$ [2]	
(v)	State the chemical name of the compound ${\rm CaC} l_2$.	
	[1]	

[Total: 10]


For Examiner's Use

3	Helium	and	argon	are	noble	gases.
---	--------	-----	-------	-----	-------	--------

(a) State one use of helium	۱.
-----------------------------	----



(b) The atomic structures of helium and argon are shown below.



(i)	State the name of the centra	I part of the atom,	labelled X.

[1]

(ii) Which statement about helium and argon is correct?

Tick one box.

Argon has an incomplete inner shell of electrons.	
An atom of argon has 16 electrons.	

Helium has a complete outer shell of electrons.

Helium has an incomplete outer shell of electrons.		
	J [1]

(iii) How many protons are there in an atom of argon?

(iv) The symbol for a particular isotope of helium is written as ⁴₂He.

Write a similar symbol for the isotope of argon which has 16 neutrons.

[1]

(c)	Argon is a liquid at a temperature of -188 °C.
	Complete the diagram below to show how the atoms of argon are arranged at -188 °C.

represents one atom of argon.

[2]


[Total: 7]

4 The table shows the mass of some ions present in a 500 cm³ bottle of mineral water.

name of ion	symbol	mass of ion / mg
calcium	Ca ²⁺	40.5
	C1-	8.1
magnesium	Mg ²⁺	11.6
nitrate	NO ₃ -	2.4
potassium	K ⁺	0.9
	SO ₄ ²⁻	6.4

		l		30 ₄	0.4	
(a)	Sta	te the name of	the following io	ns.		
	C1-					
	SO	2– 4				[2]
(b)	Cal	culate the mas	s of magnesium	n ions in 100 c	m ³ of this mine	eral water.
						[1]
(c)	(i)	Describe a te	st for nitrate ion	S.		
						[2]
	(ii)	The gas prod State the nam	uced in this test ne of this gas.	turns damp re	ed litmus pape	r blue.
						[1]

(d) The apparatus shown is used to get pure water from impure mineral water.



Complete the diagram by putting the correct labels in the three boxes.	[3]
Describe how this apparatus separates pure water from dissolved ionic solids.	
	[2]
Water purity is important in everyday life. Describe one other area of everyday life where purity of substances is important.	ıt.
	Describe how this apparatus separates pure water from dissolved ionic solids.


[Total: 12]

5

As	olutio	on of calcium	hydroxide in water is	alkaline.		
(a)			e pH values below is If the correct answer.			
		pH 3	рН 6	pH 7	pH 11	[1]
(b)		ich of the follo c one box.	owing is the commor	name for cal	cium hydroxide?	
			cement			
			limestone			
			quicklime			
			slaked lime			
			Siaked lillie			[1]
(c)	Sor	me farmers us	se calcium hydroxide	to control soi	I acidity.	
	(i)	Why is it imp	oortant to control soil	acidity?		
						[1]
	(ii)	Acid rain car	n cause soil to becor	ne acidic		
	(,		w acid rain is formed			
						[0]
(d)	Cal	cium hydroxid	de reacts with hydrod	chloric acid.		
		calcium hyd	roxide + hydrochlor	ric acid $ ightarrow$ ca	lcium chloride + water	
	(i)	State the na	me of this type of ch	emical reactio	n	
	(1)	State the na				F43
						[1]

(ii) A dilute solution of calcium hydroxide can be titrated with hydrochloric acid using the apparatus shown.

For Examiner's Use




Describe how you would carry out this titration.	
	٠.
[3	3]

[Total: 10]

6	Iron is extracted from its ore by reduction with carbon. Aluminium is extracted from its or electrolysis.							
	(a) (i)		an ore of aluminium.					
	(ii)		rstand by the term <i>reduction</i> ?					
	(iii)		inium is not extracted from its ore by reduction with carbon.					
			[1]					
		e table gives informa h carbon.	ation about the reduction of four different metal oxides by heating					
		metal oxide	reduction conditions					
		lead(II) oxide	reduced very easily using a Bunsen burner					
		magnesium oxide	reduced with difficulty in a furnace above 2000 °C					
		nickel(II) oxide	reduced very easily in a furnace above 680 °C					
		zinc oxide	reduced fairly easily in a furnace above 1200 °C					
		e the information in treactive	the table to suggest the order of reactivity of these metals. most reactive					
			[2]					
	Th	nc powder reacts with e speed of reaction aduced per minute.	n hydrochloric acid. n can be followed by measuring the volume of hydrogen gas					
	Wh	nat happens to the v	olume of gas produced per minute when					
	(i)		c are used instead of zinc powder?					
			[1]					
	(ii)	the reaction is carr	ied out at a higher temperature?					
			[1]					

(d) Match the metals on the left with their uses on the right. The first one has been done for you.

For Examiner's Use



[4]

[Total: 11]


' Ethe	ene,	C ₂ H ₄ , is manufactured by cracking petroleum fractions.	
(a)	(i)	What do you understand by the term petroleum fraction?	
	(ii)	Complete the equation for the manufacture of ethene from dodecane, $C_{12}H_{26}$.	
		$C_{12}H_{26} \rightarrow C_{2}H_{4} + \dots$	[1
(b)		o fractions obtained from the distillation of petroleum are refinery gas and gasoline te one use of each of these fractions.	٠.
	refir	nery gas	
	gas	oline	[2
(c)	Wha	ene is an unsaturated hydrocarbon. at do you understand by the following terms? aturated	
	hyd	rocarbon	[2
(d)	Eth	ene is used to make ethanol.	
	(i)	Which of these reactions is used to make ethanol from ethene? Tick one box.	
		catalytic addition of steam	
		fermentation	
		oxidation using oxygen	
		reduction using hydrogen	
			[1

For Examiner's Use

(ii	i) D	raw the	structure	of ethan	ol showing a	II atoms and	l bonds.		
									[2]
			ed to make following		nene). es about this	reaction.			
U	lse w	ords fro	om the list	below.					
add	dition	ns c	arbohyd	rates	catalysts	monoi	mers	polymers	
Т	he e	thene m	nolecules	which joi	n to form pol	y(ethene) ar	e the		
Т	he p	oly(ethe	ene) mole	cules forr	med are				[2]
								[Tota	al: 11]

For Examiner's Use


8 Lead(II) bromide can be electrolysed using the apparatus shown below.



(a) Choose **one** word from the list below which describes the graphite rods. Put a ring around the correct answer.

	cations	electrodes	electrons	insulato	rs metals	[1]
(b)	State the na	me of the products	s formed during t	his electroly	sis at	
	the negative	graphite rod				
	the positive	graphite rod				[2]
(c)	Which of the Tick two box	following conductors.	t electricity?			
		cerar	mic crucible			
		grapl	nite rod			
		molte	en lead(II) bromi	de		
		solid	lead(II) bromide			[2]
						[-]

(d) The structure of lead(${
m II}$) bromide is shown below.



	Wri	te the simplest formula for lead $\left(\mathrm{II}\right)$ bromide.
		[1]
(e)		$d(\mathrm{II})$ bromide is formed as a precipitate when aqueous solutions of lead(II) nitrate potassium bromide are mixed.
	(i)	What do you understand by the term <i>precipitate</i> ?
		[1]
	(ii)	The formula of lead(II) nitrate is $Pb(NO_3)_2$. State the number of different types of atom present in this formula.
		[1]
	(iii)	State the total number of oxygen atoms present in this formula.
		[1]
	(iv)	Lead compounds are pollutants in the air. State one harmful effect of lead compounds on health.
		[1]
		[Total: 10]

BLANK PAGE

BLANK PAGE

BLANK PAGE

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

DATA SHEET The Periodic Table of the Elements

							1110 1 01	iouic ia	טוכ טו נו	ic Licili							
								Gre	oup								
I	II											III	IV	V	VI	VII	0
							1 H Hydrogen										4 He Helium 2
7 Li Lithium	9 Be Beryllium											11 B Boron 5	12 C Carbon	14 N Nitrogen	16 O Oxygen 8	19 F Fluorine 9	20 Ne Neon 10
23 Na Sodium	24 Mg Magnesia 12											27 A 1 Aluminium 13	28 Si Silicon	31 P Phosphorus 15	32 S Sulfur	35.5 C1 Chlorine 17	40 Ar Argon
39 K Potassium 19	40 Ca Calcium		48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron	59 Co Cobalt 27	59 Ni Nickel	64 Cu Copper 29	65 Zn Zinc	70 Ga Gallium	73 Ge Germanium 32	75 As Arsenic	79 Se Selenium 34	80 Br Bromine 35	Kr Krypton
85 Rb Rubidium 37	88 Sr Strontiu	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver	112 Cd Cadmium 48	115 In Indium	119 Sn Tin	122 Sb Antimony 51	128 Te Tellurium 52	127 I lodine 53	131 Xe Xenon 54
133 Cs Caesium 55	137 Ba Barium		178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury	204 T <i>l</i> Thallium 81	207 Pb Lead	209 Bi Bismuth	Po Polonium 84	At Astatine 85	Rn Radon 86
Fr Francium 87	226 Ra Radiun	I															
*58-71 Lanthanoid series				140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium	169 Tm Thulium	173 Yb Ytterbium 70	175 Lu Lutetium 71
Key	a a = relative atomic mass X = atomic symbol b = proton (atomic) number		232 Th Thorium 90	Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm Curium 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102	Lr Lawrencium 103	

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).