

Cambridge Assessment International Education

Cambridge International General Certificate of Secondary Education

PHYSICS 0625/63

Paper 6 Alternative to Practical

October/November 2017

MARK SCHEME
Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2017 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is a registered trademark.



Question	Answer	Marks				
1(a)	units ALL correct (symbols or words)	1				
	t values all present (0, 30, 60, 90, 120, 150 and 180)	1				
1(b)	two appropriate precautions, e.g.: avoidance of parallax(only if explained), wait until reading stops rising at start, ensure thermometer not touching beaker					
1(c)(i)	conclusion matching results	1				
	correct mention of comparative temperature change over 180 s	1				
1(c)(ii)	any suitable improvement relating to comparison: e.g. same volume of water, same initial temperature, insulate sides, use plastic beaker, stand on mat, use a thicker / more insulated lid,	1				
	matching explanation: e.g. lid only factor changed, cooling more rapid for higher temperatures, cooling different for different volumes, thermal energy only escapes from surface, less transfer of thermal energy by sides, effect of lid more marked	1				
1(c)(iii)	any appropriate similarity: e.g. both cool more rapidly at the start	1				
1(d)(i)	23 (°C)	1				
1(d)(ii)	any suitable suggestion with a valid explanation greater temperature at end as cannot fall below room temperature, lower rate of cooling as temperature difference between water and room is smaller	1				

© UCLES 2017 Page 2 of 5

Question	Answer	Marks			
2(a)	correct voltmeter symbol in parallel with X				
2(b)	$I_{\rm S} = 0.18 ({\rm A})$				
2(c)(i)	$V_X = 1.2 \text{ (V) AND } V_Y = 2.3 \text{ (V)}$				
2(c)(ii)	correct units (A, V) seen in (b) and (c)				
2(c)(iii)	statement matching readings	1			
	justification, with use of values seen, matching readings and statement e.g: '3.5 V and 3.7 V are within limits of expt accuracy'	1			
2(d)	correct calculation of Rs (20.6)	1			
	$2/3$ sig figs and unit(Ω)	1			
2(e)(i)	resistors in parallel with correct symbol	1			
	rest of circuit correct	1			
2(e)(ii)	valid suggestion AND explanation consistent with results	1			

Question	Answer	Marks
3(a)(i)	F = 0.75	1
3(a)(ii)	any reliable method e.g. equal distances between rule and bench in at least two places, line up with named horizontal surface, use of set-square between stand and rule	1
3(b)	graph:	
	axes labelled with quantity and unit	1
	appropriate scales (plots occupying at least ½ grid and scales starting at 0,0)	1
	plots all correct to ½ small square AND precise plots	1
	Well-judged line AND thin line	1
3(c)(i)	F ₀ correct from graph	1
3(c)(ii)	<i>W</i> _R in range 0.90 to 1.4	1
	2/3 sig figs and unit (N)	1
3(d)	statement matching plotted points AND explanation referring to line and scatter of data	1
3(e)	repeat all readings and take average	1

© UCLES 2017 Page 4 of 5

Question		Answer	Marks
4	MP1	additional apparatus: screen AND (metre) rule	1
	MP2	diagram: suitable arrangement of apparatus with u & v labelled correctly	1
	MP3	method: obtain (clear focused) image AND measure u , v	1
	MP4	repeat for other values of u	1
	MP5	one precaution for clear, focused image: move screen slowly / backwards and forwards, object AND lens AND screen perpendicular to bench / vertical, object and lens at same height (from bench), use of dark room / bright light	1
	MP6	one precaution with measurements: clamp rule / fix to bench, mark centre of lens on holder avoidance of parallax explained and specific	1
	MP7	one additional point: additional precaution, calculate f from given equation at least 3 values obtained, calculate average, mention of at least one appropriate u value, mention of preliminary expt to obtain rough f value (e.g. light from window)	1

© UCLES 2017 Page 5 of 5