MARK SCHEME for the May/June 2013 series

0654 CO-ORDINATED SCIENCES

0654/32

Paper 3 (Extended Theory), maximum raw mark 120

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



	Page 2		Mark Scheme	Syllabus	Paper
			IGCSE – May/June 2013	0654	32
1	(a)	Group Group elemen	netals ; contain both types o	of [2]	
	(b)	as elec becaus OR as a lub <u>layers</u> o		[max 2]	
	(c)		O + H₂► Pb + H₂O ;; HS ; RHS ;)		[2]
		(ca	lcium has a high reactivity/too reactive ; alcium reactivity) greater than hydrogen/hydrogen car lcium too strongly bonded to oxygen ;	nnot displace Ca ;	[max 2]
					[Total: 8]
2	(a)		′ =) F × D or F × d or F × s ; 1400 × 10 = 14 000 J ;		[2]
			E =) ½ mv ² ; ⁄2 × 5000 × 1.5 × 1.5 = 5625 J ;		[2]
	(b)		ure =) force/area or F/A ; 0/0.8 = 62500 N/m ² ;		[2]
	(c)		y =) mass/volume or m/v ; /5 = 1000 kg/m ³ ;		[2]
					[Total 8]
3	(a)	•	of) DNA ; ns) genes ;		[2]
	(b)	four/4 two/2 ;			[2]
	(c)	for grow for repa	es (genetically) identical cells ; wth (not growth of cells) ; air (not repair of cells) ; acement of cells ;		[max 2]

	Page 3		}	Mark Scheme	Syllabus	Paper
				IGCSE – May/June 2013	0654	32
	(d)	(i) (ii)	Hh = hh = (all t bree if an poss genc poss	 no horns no horns horns horns hree correct 2 marks, one or two correct 1 mark) ;; d the bull with a cow with horns ; y offspring have horns then the bull has the h allele sible genotypes of bull shown as HH or Hh ; bype of cow shown as hh ; sible gametes of heterozygous bull shown as H and sible offspring of heterozygous bull shown as Hh and 	h;	[2] [4 max]
						[Total: 12]
4	(a)	 (a) energy is input <u>throughout 5 minutes/at constant rate</u>; up to 100 °C/for first 2 minutes increase in the <u>kinetic</u> energy of the particles (liquid); water boils at 100 °C/after 2 minutes; energy used to separate water molecules/break forces/bonds between <u>molecule</u> (not for more KE); 				(in <u>es</u>
		cor	rect re	eference to Latent Heat ;		[max 3]
	(b)	ΔT=	= 40 ;	=) mc∆T or msθ or mass × SHC × <u>change</u> in temper = 0.5 × 4200 × 40 = 84000 J ;	rature ;	[3]
	(c)	ene	ergy =	wer =) 1.8(kW)/1800(W); power × time/1800 × 30 × 60 ; 200 J ;		[3]
	(d)		-	(in door) turns reed relay on/attracts/pulls/repels	relay/reed relay a	cts
		(wh		n ; completes the (microwave generator) circuit ; s only close enough to affect relay when door is clos	sed/owtte;	[max 2] [Total: 11]
5	(a)	(i) (ii)	oxyg idea refer attra (a d sym	um atom <u>loses</u> an electron/outer shell ; gen atom <u>gains</u> two electrons/fills outer shell ; that two electrons provided by two sodium atoms ; rence to ions formed ; action between positive and negative ions ; liagram clearly showing the 'loss and gain' of e bols is worth 2 marks) c <u>always</u> solid (at room temperature)/covalent can b		[max 3]
)	ionic ionic	c higher melting point or boiling point ; c (often) soluble in water/covalent (tend to be) insolu c can form electrolytes/covalent cannot be electrolyt	ıble in water ;	[max 2]

Pa	Page 4		Mark Scheme	Syllabus	Paper
			IGCSE – May/June 2013	0654	32
(b)		24 ÷	en ; 400/0.06 ; per second ;		[1]
		0.00	24000 ; 05/5 × 10 ^{−4} ;		[2]
	 (iv) when current less the rate of gas production is less; (at cathode) hydrogen ions gain electrons/hydrogen is discharged; current is rate of flow of electrons; so if electrons arriving at cathode (per second) is halved then H⁺ dis (per second); is halved/rate of discharge is proportional to current; 			-	ging [max 3] [Total: 13]
6 (a)	haer	noglo	e to haemoglobin ; obin <u>combines with</u> oxygen ; oxygen in lungs <i>l</i> alveoli <u>and</u> drops it in tissues ;		[max 2]
(b)	so re OR thin/	ed blo ed blo 'one	ow ; ood cell always close to, the wall/the body tissues ; ood cell takes longer to pass (for better diffusion) ; cell thick <u>walls</u> ; n can diffuse through quickly ;		[max 2]
(c)			n against disease/destroys invading microorganism cosis/description of process ;	ns/bacteria ;	[2] [Total: 6]

7 (a)
$$\frac{1}{R} = \frac{1}{R_1} + \frac{1}{R_2}$$
 OR $(R =) \frac{R_1 \times R_2}{(R_1 + R_2)}$;
 $= \frac{1}{1200} + \frac{1}{2400} = \frac{3}{2400}$;

 $R = 800 \Omega$; [3]

Page 5	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2013	0654	32

(b) (i)

8

(b) (i)			
	renewable resource	non-renewable resource	
	geothermal	coal	
	tidal	oil	
	wave	natural gas	
	wind		
	hydroelectric		, ,
			[1]
(ii)	(nuclear) fusion ;		[1]
(iii)	(conduction) requires particles only radiation can pass throug		[max 1]
ma	gnet moves through coil ; gnetic field (around coil) ; gnetic field changes, lines of ma	ignetic force are cut by coils ;	
	induces voltage ;		[4]
			[Total: 10]
(a) (i)	<i>gamete</i> a sex cell ; <i>fertilisation</i> joining of <u>nuclei</u> of,	male and female gametes/se	ex cells ; [2]
(ii)	(A) sepal ;		
	protects flower when in <u>bud</u> ; (B) anther/stamen ;		
	produces pollen/male gamete	s ;	[4]
(iii)	ovary (wall) ;		[1]
(b) (i)	<u>tropism</u> ; (negative) geotropism/gravitro	nism :	[2]
(11)		рют, ,	[4]
(ii)	<u>flowers</u> held up ; where insects can reach them	,	[2]
(iii)	lower surface has grown more use of figures from first graph auxin concentrates on lower su use of figures from second g	urface/higher concentration lo	ower surface ;
	from upper surface ;		-
	more auxin causes more grow	th ;	[max 3]
			[Total: 14]

	Page 6				Syllabus	Paper
				IGCSE – May/June 2013	0654	32
9) (a) (i) (ii)		differ corre	omers rent monomers joined (in some way) ; ectly joined (peptide type linkage) ; d continuation shown ;		[1]
				gram below gains 3 marks) N-C-2-C- H O O		[max 3]
		(iii)	<u>cond</u> H₂O	densation polymerisation ; ;		[2]
	(b)	(i)	amin	no acids ;		[1]
		(ii)	OR	; ; eous acid/alkali ; /mes/biological catalysts ;		
				ptimum temperature or pH ;		[max 2]
		(iii)	(acid	d/alkaline) hydrolysis ;		[1]
						[Total 10]
10	(a)	rem	noves	electrons from atoms/turns atoms into ions;		
	(b)	(i)	150 i work	minutes ; king ;		[2]
		(ii)	400/ 31.3	/1280 ; (%) ;		[2]
	(c)	(i)	5 cm	ι;		[1]
		(ii)	meas repe chan	sure separation/distance and record count rate ; sure count for one minute ; at reading and take mean ; nge separation/distance and repeat ; rence to dealing with background radiation ;		[max 3]
		(iii)		r a photographic film badge/idea 3 ; only detects radiation/does not provide protection ;		[2]
						رے _] [Total: 11]
						[

	Page 7		Mark Scheme	Syllabus	Paper	
			IGCSE – May/June 2013	0654	32	
11	(a)	chan light wate carbo	osynthesis ; ges light energy to chemical energy ; energy absorbed by chlorophyll ; r combined with carbon dioxide ; ohydrates produced ; ohydrates contain chemical energy ;		[max 4]	
	 (b) respiration ; energy lost as heat ; OR not all organisms eaten/not all parts of organisms eaten/dies before eaten ; e.g. sheep does not eat grass roots/human does not eat sheep's feet/other relevant example ; idea that this energy goes into decomposer food chain ; OR not all food digested ; so some not absorbed into organism's body/some lost in faeces ; idea that this energy goes into decomposer food chain ; 				other [max 2]	
	(c)	-	ration ; ose, oxidised/broken down/energy released from gluc	ose ;	[2] [Total: 8]	
12	(a)	х) т.				
12	(u)	PQ R(S P;			[4]	
	(b)	1	decreases slowly (at start and end) ; followed by rapid decrease/steep fall ; use of data ;		[max 2]	
		(ii) 1	hese are the volumes at pH 7/owtte ;		[1]	
		 (iii) 5 mol/dm³; 62.5 ÷ 12.5 = 5 (× the volume of B is required compared to A); so acid A is five times more concentrated (allow stronger); 		[max 2] [Total: 9]		