

Cambridge International Examinations Cambridge International General Certificate of Secondary Education

	CANDIDATE NAME							
	CENTRE NUMBER					CANDIDATE NUMBER		
 0 1 4 7 2 6 3 9 6 3 	CO-ORDINATE		ICES					0654/51
4	Paper 5 Practic	al Test				Oc	tober/Novem	ber 2017
N								2 hours
ω	Candidates ans	wer on tl	ne Ques	tion Paper.				
о б	Additional Mater	rials:	As liste	ed in the Co	onfidential Instructions.			
ω	READ THESE I	NSTRU	CTIONS	FIRST				

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs. Do not use staples, paper clips, glue or correction fluid. DO **NOT** WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units. Notes for Use in Qualitative Analysis for this paper are printed on page 12.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use								
1								
2								
3								
Total								

This document consists of **10** printed pages and **2** blank pages.



1 You are going to investigate the action of four different concentrations of an enzyme solution on milk protein.

Milk contains a protein that makes it look white (opaque). When the protein is broken down, the milk becomes clear.

- (a) Read through the whole question and then complete the last heading in Table 1.1. [1]
- (b) (i) Label three syringes E (for enzyme), M (for milk) and W (for water).
 - Label two test-tubes **A** and **B**.
 - Use syringe **E** to add 5.0 cm³ enzyme solution to test-tube **A**.
 - Use the same syringe to add 2.0 cm³ enzyme solution to test-tube **B**.
 - Use syringe **M** to add 2.0 cm³ milk to test-tube **B** and immediately start the stopclock.
 - Using the stirring rod, mix the contents of test-tube **B** well.
 - Time how long it takes for the protein to break down by observing test-tube **B** until the milk is clear. Use test-tube **A** as a comparison to help you.

Record your result to the nearest whole second in row two, column four of Table 1.1.

[1]

- (ii) Rinse out test-tube **B**.
 - Use syringe **W** to add 0.5 cm³ distilled water to test-tube **B**.
 - Use syringe **E** to add 1.5 cm³ enzyme solution to test-tube **B** and mix well.
 - Use syringe **M** to add 2.0 cm³ milk to test-tube **B** and immediately start the stopclock.
 - Using the stirring rod, mix the contents of test-tube **B** well.
 - Time how long it takes for the protein to break down by observing test-tube **B** until the milk is clear. Use test-tube **A** as a comparison to help you.

Record, in Table 1.1, your result to the nearest whole second.

- Rinse out test-tube **B**.
- Repeat experiment (ii) twice more, using the volumes of distilled water and enzyme solution shown in Table 1.1.

Record, in Table 1.1, your results to the nearest whole second. [3]

volume of enzyme solution/cm ³	volume of distilled water/cm ³	concentration of enzyme %	······
2.0	0.0	4	
1.5	0.5		
1.0	1.0		
0.5	1.5	1	

Table 1.1

(c) The original enzyme solution has a concentration of 4%.

In Table 1.1, use the values given for volume of enzyme solution and volume of distilled water to calculate the new concentrations of enzyme.

Record these concentrations in Table 1.1.

[1]

(d) (i) On the grid provided, plot a graph of time taken for the milk to clear (vertical axis) against concentration of enzyme.

Draw the best-fit straight line.

		ii	i.	i	. J.,	. j.,	. i.,	i	i.	. i			 i	i	i	λ.,	j.,	. i.,	. i.	i	1		ί	λ.,	J.,	1	1.	А.		. Å.		. i.	. i.,	i.	i.	. J.,	. i.	- 1	1		t?	i	i	j., .	i	i.,	А.		
m	T	11	T	T	T	T	Т	H	1	1					£77	T	T	T	Ч	1			m	T	1	Г	T	T	T	T	1	1	Т	1	T	Т	1			1		<u> </u>	E.	T	T	Т	T	1	
TΤ	T	111	T	T	T	T	Т	1	17	77	1	1			0	T	Т	T	7	1			<u>.</u>	T	T	T	T	Т	Т	17	1		Т	7	Т	T	11	1	11	11	0		T	T	111	T	T	T	
î î î	111	111	- 1		1	11	1						 		111	î.	Ť	Ť	11				ĩ	î.	1.	11	11	Ŧ		17	1	1	11	1	7	17	11	1		- 11	1		î.	î	111	11	77	7	
111	177	11	- 1		Ť	11	11	1	7	;			 111		1	11	Ť	Ť	11				111	1	111	t	11	Ŧ	1	1	11	11	11	1	1	- 11	11	1		- 17			1	tri	1	t	111	7	
÷	÷÷÷	tt	-+		÷	÷	÷	÷		;			 ÷		÷	÷	÷	÷	÷				÷	÷	÷	÷	-+-	÷	÷		÷	÷	÷	÷		-+	÷÷	- 1					÷	÷	÷	÷	÷	÷	
÷-+-	·	÷+			÷		٠÷٠	÷					 ÷		}	÷	÷	÷	÷	÷	}		÷	÷	÷	÷	-÷-	÷	·-ŀ	÷÷			÷÷	÷	÷	- +	-÷	÷	÷		;;		÷	÷	÷	÷-	-÷-	÷	
÷		ii		÷.	÷.	÷÷-	- į -	÷	}	}	{		 į	·	į	ķ.	÷.,	÷	-i	÷	}		ļ	÷.,	÷	į.,	-÷-	÷		÷	÷.	÷.	÷÷.	÷	-÷		-÷	- i		}	;;		÷	į	į	÷-	÷.	÷	
è-è-		ii			de.	- {-	-i-		}	}	{	{	 i		į	ķ.	÷.	÷	-1		}		ļ	ģ.,	÷	į.,	- į -	÷.	}-	÷	÷.	÷.	÷ł.		÷	-÷	÷ł.	÷		}	p j		ķ.,	į	į	÷-	-j.,	÷	
	.j.,	11				д.	4.						 i		ţ.,	į.,	į.,	4.	4				į	į.,	J.,	į.,	4.	д.					4.	4.		ц.	ц.	4			1.1	L.,	<u>i.</u>	į.,,	į.,,	4.	4.		
<u></u>	. I	11		<u>.</u>	. <u>.</u> .				!	!			 i		i	<u>.</u>	<u>.</u>	1.	1				L.,	<u>.</u>	<u>.</u>	i.,	.1.	1											!				<u>.</u>	<u>.</u>	i	1.	А.		
1.1	1	1.1	- 1	1	1	1	1		- 1	- 1		1			1	1	:	ł.	1				1	1	1	ł.	1	1	1	- 1	- 1	1	1	1	- 1	- 1	- 1	1			: 3		1	1	1	1	1	1	
		1	1	1	1	1	Т		1							T	1	Т	1	1				1	1	1	T	1	1	1			1	1	1	1	1		1				1	1	1	1	1	1	
111	1	111	11	1	1	1	Т	1		17			 		577	T	T	T	11	1			577	1	1.	T	T	Т	1	17		1	T	1	1	17	17		11	11	0		E.	T	111	T	11	1	1
î î î	· • • •	11	†	- ÷:	÷	- †-	·†·		†)			 †		<u>}</u>	Ť٦	Ť٦	÷	-1	†			è	Ŷ	1	1	-†-	÷	-÷	τŶ.	· †	- 1-	-†-	·-†	†	÷۴	- 11	-1					Υr	i	†	÷-	÷:	Υŗ	
† † †	· † · ·	<u>†</u> †	}-	-÷-	÷	-1-	÷	÷	}	}	{		 !		}	ţ.	÷	÷	-1	†			<u>}</u>	÷	1	1	-†-	Ť		12		-+-	-†-	-†	-7	-†	-1-	-1			(* *) 		ţ	<u> </u>	<u>†</u>	t	÷:	÷	
÷-+-		÷÷÷			÷	÷÷	÷	÷			{		 ÷		}	÷	÷	÷	-į	÷			÷	÷	÷	÷	÷÷-	÷	÷	÷	÷	÷	÷	÷	÷	-÷	-÷				;}		ţ	÷	į	÷	÷	÷	
+-+-	÷+	÷	÷		÷	÷÷	÷	÷					 ÷		÷	÷	÷	÷	-1	÷			÷	÷	÷	÷	÷-	÷	÷	-+	-+	-+-	÷	÷	-+	- +-	-+				÷		÷	÷	÷	÷	÷	÷	
L.İ.,	4	ii		- ÷-	÷.,	- 4-	4.						 ÷		£	4	4.	4.	-4				Ļ.,	4	÷	į.,	4.	4		-4	-4		4	4		- 4-	-4-	-					4	4	i	4.	4.		
L.L.		į)				. į.	4.			- 1			 į	i	ļ	Ļ.,	Ļ.,	4.	4				Ļ	Ļ.,	į.,	į.,	4.	4		-÷-			4	4		-4	-4				;		4	į	į	4.	4.		
U.	. j	ii			. j.,	. j.	.i.	. 1	i				 i	i	ŧ.,	ί.	i.,	Ĵ.,	Ĵ.				ί	λ.,	j.,	İ.,	.i.	Å.	.1	. 1	. j.		.1.	1		. j.	. Í.					ŧ	λ.,	1	í	İ.,	А.		
1.31	10	1.1			£		1			.]]			1.		U	Ľ	Ľ	1	Л				U	Ľ	£	E	£	£		J)		Л	.[J	3	.]			. 3		1.7	1.7	Ľ	Ľ	Л		
		111	17	17				1	7	7			 			Τ.	T	T	1				<u>.</u>	Π.	1	1.	T	T	7	17			11	1	7	17	17	1		- 1	0		m	111	111	Τ.	Υ.	7	
111	1	11			Ť	1	÷	-					 1		1	Ť.	Ť	Ŧ	1				<u>.</u>	t.	1.	1.	11	Ŧ		1	1	1	11	1		- 1	1	-					i	1	1	11		7	
111	177	11			1	11	11	1		;			 111		1	T	t	Ť	11					1	111	t	11	Ť	1	1	- 1	1	11	1	- †	- †	11	1		- 1			t	tri	1	t	11	Ť	
÷-+-	÷	÷	÷	÷	÷	÷	÷	÷					 ÷		÷	÷	÷	÷	÷				÷	÷	÷	÷	-÷-	÷	÷	-÷	÷	÷	÷	÷	-+	-+	÷	- {					÷	÷	÷	÷	÷	÷	
÷	·	÷;		;				;	;	;	;		 ÷	÷	÷	÷	÷	4-	- 4	;	;		÷	÷	÷	÷	- + -	÷.,		;-			-÷-			;-	- 4-	- 4	;	;	;;		÷	÷	÷	÷-	-÷-		
÷		ii			de.	- į.,	-i-			;	{		 i		ļ	Ļ.,	÷.,	4.	4		}		ļ	į.,	į.,	į.,	-÷-	÷.		÷	- į.		÷ł.			-4-	-4-	-1		;	;)		ļ.,	į	į	4-	4.	4	
i	der.	ii			de.	. i.	.i.						 i	i	i	à.,	à.,	4.	4				i	à.,	į.,	i	.i.,	л.		лà.	į.	. i.	.i.			лà.	д.				1.2	L	i	į.,,	i	1.	л.		
L.J.,	. j	ii	i	i	. j	. j.	.i.		i	į			 i		i	i.,	j.,	.i.	.1	i			i	i.,	j.,	i.,	.i.	А.		. j.	. j.	. i.	.i.	. i		. j.	. j.		i		L.J		<u>i.</u>	j.,	i	i.,	А.		
11	1	1 1	- 1	1	1	1	1	- 1	- 1	- {	1	1			1	1		1	1	1			1	1	1	1	1	1	1	- 1	- 1	- 1	1	- 1	- 1	1	- 1	- 1	- 1	- 3	1		T	1	1	1	1	1	
1 1	1	111	1	1	1	1		1		1			 			1	1	T	1					1	1	1	1	1	1	1			1	1	1	1	1			1			1	1	111	1	1	1	1
1	1	1-1	11	1	1	1	T	1					 1		1	1	1	T	11					1	1	1	11	1	1	1	1	1	11	1	1	1	11	1			17		1	1	1	1	11	1	1
****	÷	::	÷		÷	÷	÷	÷	;	;	;	;	 ÷		÷	÷	÷	÷	٠ţ	;			è	÷	÷	÷	-÷-	÷	÷	÷			÷	÷	÷	÷	17	1			: <u>?</u>		÷	÷	÷	**	÷	1	
÷÷÷	· †	÷+			÷	÷÷	÷÷	÷	ł	}			 ÷		<u>}</u>	÷-	÷	÷	-1	÷			è e e	÷÷	÷	1	-+-	÷	÷÷	÷÷	÷	÷÷	÷		ŀ	÷÷	- 1:	- 1	÷		:}		÷	ţ	÷	÷	÷	÷	• •
j., j.,	· {	ii	}	j	÷	- {-	٠i٠	-i	}	}	{		 į		j	ķ٠	÷.	÷	-i			·	į	ģ.,	÷	i	- į -	÷	-÷	÷÷	÷.	-i-	-i-	-i	}	{-	-i	÷		}	;}		ζe – ι	÷	į	÷-	-i-	÷	
h.	. į	ii	÷		÷.	- ÷-	÷				{	}	 į		į	Ļ.	Ļ.	4-	-4				ļ	ķ.	÷	ł	-÷-	÷		÷	- ÷.		÷		÷			- 1			;}		ģ	į	į	4-	÷-	4	
Ļ., ļ.,	4	<u>į</u> i	i		÷.,	4.	4.			- 4			 į		ļ	<u>i</u> .,	÷.,	4.	4				ļ	į.,	4	į.,	4.	4		- <u>i</u>	į.		4	4	-4	- 4-	4						4	<u> </u>	į	4.	4.		
	4	<u></u>			4								 i		i	<u>i</u>	1.	4.	4				į	<u>.</u>	<u>.</u>	į.,	4.	4											!				<u>.</u>	<u>.</u>	i	1.	4.		
: :	1	1.1			1	. 1.	. 1.		!				 i		i	1	:	1	1				L.,	1	<u>.</u>	1	1.	1	. (. 1	. 1	. :	.1			1	1						1	1	i	1.	1.	1	
1.1	1	11	- [1	1	1	T	- 1	- [- [1		1		1	Ľ	÷	Ŧ	1	1			1	Ľ	1	1	T	÷	ſ	- 6	- 6	1	1	1	- [- [1	- 1	- 1	- 1	1		1	1	1	Ľ	1	1	Ċ
m	1.	Πİ	1	1	T	77	Т	1			1		 		£77	T	T	T	1	1			m	T	7	T	T	Т	1	17	1	1	T	1	1	77	11	1					TT:	111	111	T	T	7	1
ΠŤ	1	111		÷	Ŷ	11	1	-1	}				 1			T	Ŷ	Ť	-1				m	T	1	1.	1-	Ť	Ť	11	-1	-1-	11	1	Ť	11	-1	-1			m		(TT)	1111	1	t		Ť	
t tr	÷	1-1			÷	÷÷	÷	-1		}			 ÷		<u>.</u>	Ť	t	Ť	1				<u>.</u>	Ť	t	t	1-	Ť		- †		÷	÷	1	-7	- †	÷	-1					÷	t	<u>t</u>	t	÷	Ť	
÷÷÷·	·	÷÷	÷	·÷·	÷	÷÷	÷÷	÷					 ÷		÷	÷	÷	÷	÷				÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷		÷÷				;;		÷	÷	÷	÷	÷	÷	•••
÷-+-	÷	÷	÷		÷	÷÷	÷	÷					 ÷		÷	÷	÷	÷	÷	÷			÷	÷	÷	÷	÷	÷	÷				÷	÷			÷÷	- 1					÷	÷	÷	÷	÷	÷	
Ļ.,		÷;				- į.	-i-			;			 ÷	÷	÷	÷-	÷.,	4-	-4				Ļ.,	÷	÷	į.,	-÷-	4		-4	- į.	- ÷-	÷.	÷		- 4	-4	- 4			;		÷	4	÷	4-	4.	÷	
L.J.,	. j	ii				. į.	4.			}			 i		į	į.,	į.,	4.	4				į	į.,	Į.,	Į.,	4.	÷.,		4			4	4			4		‡				į.,	į	į	4.	4.		
L.L.	.i	11			.i.,	.i.	.i.		i				 i	i	i	i.,	į.,	İ.,	1				i	i.,	j.,	İ.,	.i.	Ĵ.					.1.						i			L	i	i	i	i.,	.i.,		
LT	1	11	1		1			J		1	3		1.			Ľ	£	£	.]	1				Ľ	1	Ľ	ſ	ſ	1	.)	.]			1	.[. 1	.)				0		1.	1.7	Ľ	£	1	1	Ĵ
î (1	111			1	1	Ť	-			1		 			ĩ	î	T	71				ĩ	î	1	17	1	T	T,	17	1		T	1	7	- 7	-1-	1			(T)		î	1	1	1		7	
11	1	111			Ť	11	÷	-;	†				 		1	T	Ť	Ť	1				1	T	111	t	1	Ť	1	1	1		Ť	1	-7	- 1-	1	1		- 1	67		tri	111	1	t	Ť	Ť	1
	÷	÷		÷		÷	÷	÷					 ÷			÷	÷	÷	÷	÷			÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷		÷	÷	- 1	;		: !			t	÷	÷	÷	÷	
÷÷÷	÷	÷	÷		dia di secondo di se Secondo di secondo	÷	÷					 ÷		÷	÷.	÷	÷	÷	÷	}		÷	÷	÷	÷	÷	÷	÷	÷		÷	÷	÷	-÷		÷÷	÷	÷		r-i		÷	÷	÷	÷	÷	÷		
	÷ .	ii	l	. i.	. i.,	. i.	.i.,		i.	- 1		- 3	i		i	£.,	i.,	÷.	- 1	- 1	- 1		÷ .	÷ .	1	÷ .	÷.	1		- 1	- 2	- 11	- 61	- 11	- 11	- 1	- 1	- 1	- 6	- 2			1.	÷ .	1.	÷ .	.i.,		

[4]

- (ii) Use your graph to predict the time it would take for the milk to clear with a 1.5% enzyme solution.
- (iii) Use your graph to describe the relationship between the concentration of enzyme and the time taken for the milk to clear.

.....[1]

- (e) A student uses a similar method to investigate how the rate of this enzyme-catalysed reaction varies with temperature.
 - (i) Suggest suitable temperatures for the student to use.

.....[2]

(ii) State two variables that the student should keep constant in this experiment.

variable 1	
variable 2	
	[1]

Please turn over for Question 2.

5

2 Notes for use in Qualitative Analysis for this question are printed on page 12.

You are going to investigate the temperature change in a reaction and identify compounds ${\bf H}$ and ${\bf J}.$

H is an oxide. **J** is a nitrate salt.

(a) (i) You must wear safety glasses for this experiment.

- Place 15 cm³ distilled water into a beaker.
- Measure the temperature of this water and record, in Table 2.1, the temperature T_1 to the nearest 0.5 °C.
- Add the sample of solid **H** to the water in the beaker.
- Stir well and record, in Table 2.1, the highest temperature T₂ of the mixture to the nearest 0.5 °C.
- Keep the mixture for (a)(ii), (a)(iii) and (b)(ii).

Record, in Table 2.1, your observations of the reaction.

[3]

Tab	ble	2.1

	T₁/°C	T₂/°C	change in temperature/°C
temperature			
observations			

- (ii) Filter the mixture from (a)(i) into a large test-tube. This is filtrate F.
 - Test filtrate **F** with Universal Indicator paper.
 - Keep filtrate F for (a)(iii) and (b)(ii).

Record the final colour of the paper and the pH of the filtrate.

final colour

рН

- [1]
- (iii) One-third fill a test-tube with filtrate F. Keep the remainder of F for (b)(ii).
 - Place ten marble chips (calcium carbonate) in another test-tube.
 - Add about one third of a test-tube of dilute hydrochloric acid to the marble chips.
 - Immediately attach a delivery tube to the test-tube with the acid and marble chips and pass any gas produced into the test-tube containing filtrate **F**.

Record your observations of the filtrate.

.....[1]

(b) (i)	Test a small amount of solution ${f J}$ in a test-tube by adding ammonia solution to it.
	Remember to add the ammonia solution slowly until it is in excess.
	Record your observations and identify J.
	observations
	J isnitrate. [3]
(ii)	Place about 2 cm ³ solution J in a test-tube and slowly add the remainder of filtrate F from (a)(iii) until there is no further change.
	Record your observations.
	[1]
(c) (i)	Calculate the change in temperature in the reaction in (a)(i).
	Record, in Table 2.1, the value with a plus or minus sign as appropriate. [1]
(ii)	Using your answer to (c)(i) , state which type of reaction has been observed in (a)(i) .
	[1]
(iii)	In (b)(ii) , filtrate F is behaving like a reagent used in Qualitative Analysis.
	Name this reagent.
	[1]
(iv)	Use the results from (a)(ii), (iii) and (b)(ii) to classify the oxide H.
	classification of oxide H[1]
(v)	Use all of the evidence in (a), (b) and (c) to suggest a chemical name for H.
	State how you have used the evidence to arrive at your answer.
	H is oxide.
	reason
	 נסז
	[2]

3 You are going to investigate how the resistance R of a filament lamp and the power P of the filament lamp depend upon the current I flowing through it.

The circuit shown in Fig. 3.1 has been set up for you.




Fig. 3.1

- (a) (i) Connect the crocodile clip **C** to the end **S** (0 cm) of the resistance wire.
 - Switch on.
 - Use the voltmeter and the ammeter to measure the potential difference *V* across the lamp and the current *I* flowing through the lamp.

Record, in Table 3.1, your values of *V* and *I*.

Switch off.

[2]

position of crocodile clip C /cm	potential difference V/V	current I/A	resistance <i>R</i> /Ω	power P/
0				
20.0				
40.0				
60.0				
80.0				

Table 3.1

(ii) Repeat the steps in (a)(i) for different positions of the crocodile clip **C**, by connecting it at 20.0 cm, 40.0 cm, 60.0 cm and 80.0 cm from end **S**.

Record, in Table 3.1, your values of V and I.

Remember to switch off between readings.

(b) If the filament lamp becomes too dim to see while you are carrying out the investigation, state how you would know that the lamp is not broken.

.....[1]

(c) (i) Calculate the resistance *R* of the filament lamp for each pair of readings using the equation shown.

$$R = \frac{V}{I}$$

Record, in Table 3.1, your values of *R* to 3 significant figures. [2]

(ii) Explain why it is important to switch the current off between taking readings.

.....[1]

- (d) (i) Add the unit of power to the heading of the fifth column in Table 3.1. [1]
 - (ii) Calculate the power *P* of the filament lamp for each pair of readings using the equation shown.

$$P = V \times I$$

Record, in Table 3.1, your values of *P*.

(e) A student suggests that the power *P* of the filament lamp is directly proportional to the current *I* flowing through it.

State whether your experimental results support this suggestion and justify your statement **by reference to your results** in Table 3.1.

statement	
justification	
	[2]

[2]

[4]

BLANK PAGE

10

BLANK PAGE

11

NOTES FOR USE IN QUALITATIVE ANALYSIS

Tests for anions

anion	test	test result					
carbonate (CO ₃ ^{2–})	add dilute acid	effervescence, carbon dioxide produced					
chloride (C <i>l</i> ⁻) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	white ppt.					
nitrate (NO ₃ ⁻) [in solution]	add aqueous sodium hydroxide, then aluminium foil; warm carefully	ammonia produced					
sulfate (SO ₄ ^{2–}) [in solution]	acidify with dilute nitric acid, then add aqueous barium nitrate	white ppt.					

Tests for aqueous cations

cation	effect of aqueous sodium hydroxide	effect of aqueous ammonia					
ammonium (NH ₄ ⁺)	ammonia produced on warming	-					
copper(II) (Cu ²⁺)	light blue ppt., insoluble in excess	light blue ppt., soluble in excess, giving a dark blue solution					
iron(II) (Fe ²⁺)	green ppt., insoluble in excess	green ppt., insoluble in excess					
iron(III) (Fe ³⁺)	red-brown ppt., insoluble in excess	red-brown ppt., insoluble in excess					
zinc (Zn ²⁺)	white ppt., soluble in excess, giving a colourless solution	white ppt., soluble in excess, giving a colourless solution					

Tests for gases

gas	test and test result
ammonia (NH ₃)	turns damp red litmus paper blue
carbon dioxide (CO ₂)	turns limewater milky
chlorine (Cl ₂)	bleaches damp litmus paper
hydrogen (H ₂)	'pops' with a lighted splint
oxygen (O ₂)	relights a glowing splint

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.